

Claims

1. An editing system for producing edit resultant clip from a plurality of clips to be edited, comprising:

editing means, which is composed of a plurality of processing modules for editing the clips to be edited, for performing on a plurality of clips to be edited the edit processing corresponding to the processing module selected among from the plurality of processing modules to produce edit resultant clip;

managing means for managing said edit resultant clip and said plurality of clips to be edited with the hierarchical structure, in order to show that which of clips to be edited is said edit resultant clip produced from; and

control means for controlling said editing means based on the information managed by said managing means.

2. The editing system according to claim 1, wherein said managing means has a clip database to register for each clip the information of a plurality of said clips.

3. The editing system according to claim 2, wherein said clip database includes the link information indicating the link state of said clips managed with the hierarchical structure.

05068866, 102398

4. The editing system according to claim 3, wherein
said link information registered for each clip consists
of the lower link information indicating the lower clips linked
to said clip at a lower position and the upper link information
indicating the upper clips linked to said clip at an upper
position.

5. The editing system according to claim 4, wherein
said managing means register said clips to be edited in
said clip database as a lower clip of said edit resultant clip,
so as to correspond to the layer specified in the processing
module and corresponding to said edit resultant clip.

6. The editing system according to claim 4, wherein:
said plurality of clips to be edited include the first
clip to be edited and the second clip to be edited; and
said managing means register said first clip to be edited
in said clip database as a lower clip firstly linked to said
edit resultant clip and registers said second clip to be edited
in said clip database as a lower clip secondly linked to said
edit resultant clip, when said first clip to be edited is
specified as the first layer and said second clip to be edited
is specified as the second layer in the processing module
selected in producing said edit resultant clip.

7. The editing system according to claim 2, wherein:
said plurality of processing modules comprise an edit module for editing said edit resultant clip, a composite module for composing said edit resultant clip, and a special effect module for applying a special effect to said edit resultant clip.
8. The editing system according to claim 7, further comprising
image processing means for applying the image processing respectively corresponding to said edit module, said composite module, and said special effect module to the video data of said clip to be edited. A
9. The editing system according to claim 8, further comprising
display means for displaying the graphical user interface respectively corresponding to said edit module, said composite module, and said special effect module on a display.
10. The editing system according to claim 8, wherein
said clip database has the module identification information indicating that which of said plurality of processing modules is said edit resultant clip produced among

from.

11. The editing system according to claim 10, wherein
said control means controls said editing means and said
image processing means based on the information registered in
said clip database.

12. The editing system according to claim 10, wherein
said control means controls said editing means based on
said module identification information of the edit resultant
clip specified by an edit operator.

13. The editing system according to claim 10, wherein
said control means controls said editing means so as to
start up the processing module corresponding to the edit
resultant clip specified by an edit operator based on said
module identification information stored in said clip database.

14. The editing system according to claim 10, wherein
said clip database has edit point data indicating a
plurality of editing points specified in producing said edit
resultant clip and image processing data indicating the image
processing applied to the video data of said clip to be edited
to produce said edit resultant clip.

05068866 102398

15. The editing system according to claim 14, wherein
said control means controls the image processing timing
of said image processing means based on said editing point data
registered in said clip database, and controls the image
processing operation of said image processing means.

16. The editing system according to claim 14, wherein
said editing point data is data representing the edit
start point and the edit end point of said clip to be edited,
and data representing the change point of said image processing
data applied to the video data of said edit resultant clip.

17. The editing system according to claim 16, wherein
said editing point data is represented by time code in
said edit resultant clip and time code in said clip to be
edited.

18. The editing system according to claim 17, wherein
the time code representing the editing point in said clip
to be edited is stored in said clip database so as to be
associated with the time code indicating the editing point
specified in said edit resultant clip.

19. The editing system according to claim 16, wherein:
said edit resultant clip and said clip to be edited

respectively have the original time code starting from the start point of each clip; and

said managing means registers, at the edit start point of said clip to be edited, in said clip database as said editing point data the time code in said edit resultant clip and the time code in said clip to be edited which are associated each other, and registers at the edit end point of said clip to be edited in said clip database as said editing point data the time code in said edit resultant clip and the time code in said clip to be edited which are associated each other.

20. The editing system according to claim 14, wherein

said image processing data consists of edit processing data indicating the content of the image processing corresponding to the edit processing specified by said edit module, the composite processing data indicating the content of the image processing corresponding to the composite processing specified by said composite module, and the special effect processing data indicating the content of the image processing corresponding to the special effect processing specified by said special effect module.

21. The editing system according to claim 20, wherein

said edit data consists of edit processing identification data indicating the type of edit processing set by said edit

module and a plurality of edit processing parameters corresponding to the edit processing.

22. The editing system according to claim 21, wherein said edit processing parameters are registered in said clip database so as to correspond to said editing point specified in said edit resultant clip.

23. The editing system according to claim 22, wherein said control means controls said image processing means so as to perform on the video data of said clip to be edited the image processing in accordance with said edit processing parameters corresponding to said editing point at a timing in accordance with said editing point.

24. The editing system according to claim 22, wherein:
the editing point specified for said edit resultant clip includes the first editing point and the second editing point;
said edit processing parameters include the first edit processing parameter set to a timing corresponding to said first editing point and the second edit processing parameter set to a timing corresponding to said second editing point; and
said control means controls said image processing means so as to perform the image processing in accordance with said first edit parameter on the video data of said clip to be

28. The editing system according to claim 27, wherein said plurality of composite processing parameters are registered in said clip database so as to correspond to said editing point specified in said edit resultant clip.

29. The editing system according to claim 28, wherein
said control means controls said image processing means
so as to perform on the video data of said clip to be edited
the image processing in accordance with said composite
processing parameters corresponding to said editing point at a
timing in accordance with said editing point.

30. The editing system according to claim 28, wherein:
the editing point specified for said edit resultant clip includes the first editing point and the second editing point;
said composite processing parameters include the first composite processing parameter set to a timing corresponding to said first editing point and the second composite processing parameter set to a timing corresponding to said second editing point; and

said control means controls said image processing means so as to perform the image processing in accordance with said first composite parameter on the video data of said clip to be edited at a timing of said first editing point, and controls

plurality of special effect parameters corresponding to said special effect processing.

34. The editing system according to claim 33, wherein said plurality of special effect processing parameters are registered in said clip database so as to correspond to said plurality of editing points specified in said edit resultant clip.

35. The editing system according to claim 34, wherein said control means controls said image processing means so as to perform on the video data of said clip to be edited the image processing in accordance with said special effect processing parameters corresponding to said editing point at a timing in accordance with said editing point.

36. The editing system according to claim 34, wherein:
the editing point specified for said edit resultant clip includes the first editing point and the second editing point;
said special effect processing parameters include the first special effect processing parameter set to a timing corresponding to said first editing point and the second special effect processing parameter set to a timing corresponding to said second editing point; and
said control means controls said image processing means

so as to perform the image processing in accordance with said first special effect parameter on the video data of said clip to be edited at a timing of said first editing point, and controls said image processing means so as to perform the image processing in accordance with said second special effect parameter on the video data of said clip to be edited at a timing of said second editing point.

37. The editing system according to claim 36, wherein said control means produces a plurality of interpolation parameters based on said first special effect processing parameter and said second special effect processing parameter, and controls said image processing means so as to perform the image processing in accordance with said plurality of interpolation parameters during the period from said first editing point to said second editing point.

38. The editing system according to claim 37, wherein said control means further has display means for displaying the cell showing the edit section of said clip to be edited and the change of said special effect processing parameters specified for said clip to be edited, which correspond to the time axis direction.

39. The editing system according to claim 14, wherein

09068856 102398

said control means makes all clips linked to the upper position of the modified edit resultant clip disable, when said edit resultant clip registered in said clip database is modified.

40. The editing system according to claim 14, wherein said control means produces a new edit resultant clip instead of the edit resultant clip before modification when said edit resultant clip is modified, and makes all clips linked to the upper position of the edit resultant clip before modification disable.

A
41. The editing system according to claim 40, wherein said database has the identification flag indicating whether said each clip is enable or disable.

42. The editing system according to claim 40, wherein said managing means,
registers said new edit resultant clip in said clip database with the clip identification code or clip name representing said edit resultant clip before modification, and
registers said edit resultant clip before modification in said clip database with the clip identification code or clip name which is different from the clip identification code or clip name representing said edit resultant clip before

modification.

43. The editing system according to claim 14, wherein said control means produces a new edit resultant clip instead of said edit resultant clip before modification when said edit resultant clip is modified, and searches all clips linked to the upper position of said edit resultant clip before modification based on said link information of said clip database to make the searched clips disable.

44. The editing system according to claim 43, wherein said managing means, ^A registers the information relating to said new edit resultant clip in said clip database with the clip identification code or clip name representing said edit resultant clip before modification, and

registers the information relating to said edit resultant clip before modification in said clip database with the clip identification code or clip name which is different from the clip identification code or clip name representing said edit resultant clip before modification.

45. The editing system according to claim 44, wherein said clip database has the identification flag indicating whether said each clip is enable or disable.

09068866-102398

46. The editing system according to claim 45, wherein said control means has re-execution means for re-executing in order to make said edit resultant clip which has been made disable by the modification processing enable.

47. The editing system according to claim 46, wherein said re-execution means having:

search process for referring said link information and said identification flag of said clip database to search the edit resultant clip to be re-executed among from said disable edit resultant clips; and

production process for producing a new video data corresponding to said searched edit resultant clip among from the video data of all lower clips linked to the lower position of the edit resultant clip searched by said search process.

48. The editing system according to claim 47, wherein

said re-execution means, in said production process, produces a new edit resultant clip instead of said searched disable edit resultant clip, from said newly produced video data, said link information relating to said searched edit resultant clip registered in said clip database, said editing point data, and said image processing data.

49. The editing system according to claim 48, wherein
said managing means
registers said edit resultant clip newly produced in said
clip database with the clip identification code or clip name
representing said searched disable edit resultant clip, and
registers said searched disable edit resultant clip in
said clip database with the clip identification code or clip
name which is different from the clip identification code or
clip name representing said researched disable edit resultant
clip.

A

50. The editing system according to claim 47, wherein
said re-execution means repeats said search process and
said production process until all clips managed with the
hierarchical structure by said managing means become enable.

51. The editing system according to claim 47, wherein
said re-execution means performs the re-execution on the
edit resultant clip which has the lower clips being all enable
among said disable edit resultant clips and which is at the
lowest position among said clips managed with said hierarchical
structure.

52. The editing system according to claim 47, wherein
said re-execution means, in said production process,

controls said image processing device based on the editing point data and the image processing data corresponding to said searched disable edit resultant clip, so as to produce said new video data.

53. An editing system for editing a plurality of clips to be edited, comprising:

editing means, which is composed of a plurality of processing modules for editing the clips to be edited, for applying to a plurality of clips to be edited the edit processing corresponding to the processing module selected among from the plurality of processing modules to produce edit resultant clip;

storing means for storing the module identification information indicating that which of processing modules is said edit resultant clip produced by using from; and

control means for starting up the processing module corresponding to said edit resultant clip based on said module identification data stored in said storing means, when said edit resultant clip is selected.

54. The editing system according to claim 53, wherein

said storing means has a clip database to register for each edit resultant clip said module identification information.

55. The editing system according to claim 54, wherein said clip database includes the link information indicating the link state of said clips in the hierarchical structure in order to manage said edit resultant clip and said plurality of clips to be edited with the hierarchical structure.

56. The editing system according to claim 55, wherein said plurality of processing modules have an edit module for editing said plurality of clips to be edited, a composite module for composing said plurality of clips to be edited, and a special effect module for applying the special effects to said plurality of clips to be edited.

57. The editing system according to claim 56, further comprising:

user interface means composed of a graphical user interface for edit processing corresponding to said edit module, a graphical user interface for composite processing corresponding to said composite module, and a graphical user interface for special effect processing corresponding to said special effect module; and

display means for displaying said graphical user interface for edit processing, said graphical user interface for composite processing, and said graphical user interface for special effect processing on a display;

0906885-102398

said control means wherein:

identifies the processing module corresponding to said selected edit resultant clip based on the module identification information registered in said clip database; and

starts up the processing module corresponding to said identified processing module and controls said display means to display the graphical user interface of the processing module corresponding to said identified processing module.

58. The editing system according to claim 57, wherein said clip database has editing point data showing a plurality of editing points specified in producing said edit resultant clip and image processing data showing the content of the image processing applied to the video data of said clip to be edited to produce said edit resultant clip.

59. The editing system according to claim 58, wherein said control means controls the image processing timing of said image processing means based on said editing point data registered in said clip database, and controls the image processing operation of said image processing means based on said image processing data registered in said clip database.

60. The editing system according to claim 58, wherein said editing point data is data representing the edit

start point and the edit end point of said clip to be edited, and data representing the change point of said image processing data applied to the video data of said edit resultant clip.

61. The editing system according to claim 58, wherein said image processing data consists of edit processing data indicating the content of the image processing corresponding to the edit processing specified by said edit module, the composite processing data indicating the content of the image processing corresponding to the composite processing specified by said composite module, and the special effect processing data indicating the content of the image processing corresponding to the special effect processing specified by said special effect module.

A

62. The editing system according to claim 61, wherein said edit data consists of edit processing identification data indicating the type of edit processing set by said edit module and a plurality of edit processing parameters corresponding to the edit processing.

63. The editing system according to claim 62, wherein said edit processing parameters are registered in said clip database so as to correspond to said editing point specified in said edit resultant clip.

09068866-10239

64. The editing system according to claim 63, wherein
said control means controls said image processing means
so as to perform on the video data of said clip to be edited
the image processing in accordance with said edit processing
parameters corresponding to said editing point at a timing in
accordance with said editing point.

65. The editing system according to claim 63, wherein:
the editing point specified for said edit resultant clip
includes the first editing point and the second editing point;
said edit processing parameters include the first edit
processing parameter set to a timing corresponding to said
first editing point and the second edit processing parameter
set to a timing corresponding to said second editing point; and
said control means controls said image processing means
so as to perform the image processing in accordance with said
first edit parameter on the video data of said clip to be
edited at a timing of said first editing point, and controls
said image processing means so as to perform the image
processing in accordance with said second edit parameter on the
video data of said clip to be edited at a timing of said second
editing point.

66. The editing system according to claim 65, wherein

09063356.102393

said control means controls said image processing means so as to perform the image processing in accordance with the interpolation parameter interpolated between said first edit parameter and said second edit parameter on the video data of said clip to be edited during the period from said first editing point to said second editing point.

67. The editing system according to claim 62, wherein

said control means controls display means to display the cell showing the edit section of said clip to be edited and the change of said edit processing parameters specified for said clip to be edited, which correspond to the time axis direction.

68. The editing system according to claim 62, wherein

said control means controls said display means to display said plurality of edit processing parameters set for said selected edit resultant clip on said display as a part of said graphical user interface for edit processing, based on the information registered in said clip database.

69. The editing system according to claim 68, wherein

said control means controls said display means to display said edit parameter so as to correspond to each editing point, in order to visually know the change in the time axis direction of said plurality of edit processing parameters, based on said

05068866-102398

editing point data and said image processing data of said selected edit resultant clip.

70. The editing system according to claim 62, wherein while the first processing module is being started up to produce the first edit resultant clip, when the second edit resultant clip linked as a lower clip of said first edit resultant clip is selected,

said control means

refers said link information, said module identification information, said editing point data, and said image processing data which are registered as the information relating to said second edit resultant clip of said clip database,

starts up the second processing module corresponding to said second edit resultant clip based on said module identification code, and

A

controls, based on said link information, said editing point data, and said image processing data, said display means to display the cell representing the edit section of clip linked to the lower position of said second edit resultant clip so as to associate with the editing point of said editing point data, and to display each processing parameter of said image processing data corresponding to said second processing module so as to associate with the editing point of said editing point data.

09068866-102398

71. An editing system for editing a plurality of clips to be edited, comprising:

editing means, which is composed of a plurality of processing modules for editing said clips to be edited, for applying to a plurality of clips to be edited the edit processing corresponding to the processing module selected among from the plurality of processing modules to produce edit resultant clip;

display means for displaying the graphical user interface corresponding to said plurality of processing modules on a display;

storing means for storing the image processing data indicating the content of the image processing applied by the edit processing performed by said editing means to the video data of said clip to be edited, so as to correspond to said edit resultant clip; and

control means for controlling said display means to display said image processing data stored in said storing means which corresponds to said selected edit resultant clip on a display as a part of said graphical user interface, when said edit resultant clip is selected.

72. The editing system according to claim 71, wherein said storing means has a clip database to register for

each edit resultant clip said image processing data.

73. The editing system according to claim 72, wherein
said plurality of processing modules have an edit module
for editing said plurality of clips to be edited, a composite
module for composing said plurality of clips to be edited, and
a special effect module for applying the special effects to
said plurality of clips to be edited.

74. The editing system according to claim 73, further
comprising ^A
image processing means for applying to the video data of
said clip to be edited the image processing respectively
corresponding to said edit module, said composite module, and
said special effect module.

75. The editing system according to claim 74, wherein
said clip database has the module identification
information indicating that which of processing modules is said
edit resultant clip produced from.

76. The editing system according to claim 75, wherein:
said graphical user interface is composed of a graphical
user interface for edit processing corresponding to said edit
module, a graphical user interface for composite processing

09068856-102398

corresponding to said composite module, and a graphical user interface for special effect processing corresponding to said special effect module; and

said control means

identifies the processing module corresponding to said selected edit resultant clip based on the module identification information registered in said clip database; and

starts up the processing module corresponding to said identified processing module and controls said display means to display the graphical user interface of the processing module corresponding to said identified processing module.

77. The editing system according to claim 76, wherein
said clip database has editing point data showing a plurality of editing points specified in producing said edit resultant clip and image processing data showing the contents of the image processing performed on the video data of said clip to be edited to produce said edit resultant clip.

78. The editing system according to claim 77, wherein
said control means controls the image processing timing of said image processing means based on said editing point data registered in said clip database, and controls the image processing operation of said image processing means based on said image processing data registered in said clip database.

09068866-102398
86201 9989060

79. The editing system according to claim 77, wherein
said editing point data is data representing the edit
start point and the edit end point of said clip to be edited,
and data representing the change point of said image processing
data applied to the video data of said edit resultant clip.

80. The editing system according to claim 77, wherein
said image processing data consists of edit processing
data indicating the content of the image processing
corresponding to the edit processing specified by said edit
module, the composite processing data indicating the content of
the image processing corresponding to the composite processing
specified by said composite module, and the special effect
processing data indicating the content of the image processing
corresponding to the special effect processing specified by
said special effect module.

A

81. The editing system according to claim 80, wherein
said edit data consists of edit processing identification
data indicating the type of edit processing set by said edit
module and a plurality of edit processing parameters
corresponding to the edit processing.

82. The editing system according to claim 81, wherein

said edit processing parameters are registered in said clip database so as to correspond to said editing point specified in said edit resultant clip.

83. The editing system according to claim 82, wherein said control means controls said image processing means so as to perform on the video data of said clip to be edited the image processing in accordance with said edit processing parameters corresponding to said editing point at a timing in accordance with said editing point.

84. The editing system according to claim 82, wherein:
the editing point specified for said edit resultant clip includes the first editing point and the second editing point;
said edit processing parameters include the first edit processing parameter set to a timing corresponding to said first editing point and the second edit processing parameter set to a timing corresponding to said second editing point; and
said control means controls said image processing means so as to perform the image processing in accordance with said first edit parameter on the video data of said clip to be edited at a timing of said first editing point, and controls said image processing means so as to perform the image processing in accordance with said second edit parameter on the video data of said clip to be edited at a timing of said second

editing means which is composed an edit module for producing the edit resultant clip by applying the edit processing to said clips to be edited, a composite module for producing the edit resultant clip by applying the composite processing to said clips to be edited, and a special effect module for producing the edit resultant clip by applying the special effect processing to said clips to be edited;

user interface means composed of a graphical user interface for edit processing corresponding to said edit module, a graphical user interface for composite processing corresponding to said composite module, and a graphical user interface for special effect processing corresponding to said special effect module; and

display control means for displaying said graphical user interface for edit processing on a display when the edit processing is performed by said edit module, for displaying said graphical user interface for composite processing on a display when the edit processing is performed by said composite module, and for displaying said graphical user interface for edit processing on a display when the edit processing is performed by edit module.

91. An editing system for editing a clip to be edited, comprising:

editing means for producing the edit resultant clip by

09068866 102398

applying the edit processing specified by an edit operator on said clip to be edited;

managing means for managing, with the hierarchical structure, the clip used by said edit processing of said editing means and the clip produced by said edit processing; and

control means for controlling said editing means based on the information managed by said managing means.

92. An editing system for producing the edit resultant clip by editing the supplied clip, comprising:

editing means for producing the edit resultant clip by applying the edit processing specified by an edit operator to the clip to be edited which is edit-processed;

managing means for managing each clip with the hierarchical structure by linking said clip to be edited to said edit resultant clip as a lower clip, or by linking said edit resultant clip to said clip to be edited as a upper clip; and

control means for controlling said editing means based on the information managed by said managing means.

93. An editing system for editing the supplied clip, comprising:

editing means for applying the edit processing to the

supplied clip;

managing means for managing all clips used or produced by said editing means, with the hierarchical structure which is expressed by the up and low relation, by linking each other, regarding the clip to be edit-processed in said edit processing as a lower clip and the clip produced by the edit processing in said edit processing as an upper clip; and

control means for controlling said editing means based on the information managed by said managing means.

94. An editing method for producing the edit resultant clip from a plurality of clips to be edited, comprising the steps of:

applying the edit processing ^Acorresponding to the processing module selected among from a plurality of processing modules for editing a clip to be edited, to produce the edit resultant clip; and

managing said edit resultant clip and said clips to be edited with the hierarchical structure, in order to indicate that which of clips to be edited is said edit resultant clip produced from.

95. The editing method according to claim 94, wherein

said plurality of clips are managed by the clip database in which the information relating to said plurality of clips

are registered for each clip.

96. The editing method according to claim 95, wherein the hierarchical structure of said plurality of clips is managed by the link information of said clip database.

97. The editing method according to claim 95, wherein said plurality of processing modules comprise an edit module for editing said plurality of clips to be edited, a composite module for composing said plurality of clips to be edited, and a special effect module for applying the special effects to said plurality of clips to be edited.

98. The editing method according to claim 97, wherein the image processing respectively corresponding to said edit module, said composite module, and said special effect module is applied to the video data of said clip to be edited, based on the information registered in said clip database.

99. The editing method according to claim 98, wherein the graphical user interface corresponding to each of said edit module, said composite module, and said special effect module is respectively displayed on a display, based on the information registered in said clip database.

104. The editing method according to claim 102, wherein
said editing point data is data representing the edit
start point and the edit end point of said clip to be edited,
and data representing the change point of said image processing
data applied to the video data of said edit resultant clip.

105. The editing method according to claim 102, wherein said image processing data consists of edit processing data indicating the content of the image processing corresponding to the edit processing specified by said edit module, the composite processing data indicating the content of the image processing corresponding to the composite processing specified by said composite module, and the special effect processing data indicating the content of the image processing corresponding to the special effect processing specified by said special effect module.

106. The editing method according to claim 105, wherein
said edit processing data consists of edit processing
identification data indicating the type of edit processing set
by said edit module and a plurality of edit processing
parameters corresponding to the edit processing.

107. The editing method according to claim 106, wherein
said edit processing parameters are registered in said

clip database so as to correspond to said editing point specified in said edit resultant clip.

108. The editing method according to claim 107, wherein said control means performs on the video data of said clip to be edited the image processing in accordance with said edit processing parameters which correspond to said editing point at a timing in accordance with said editing point.

109. The editing method according to claim 107, wherein:
the editing point specified for said edit resultant clip includes the first editing point and the second editing point;
said edit processing parameters include the first edit processing parameter set to a timing corresponding to said first editing point and the second edit processing parameter set to a timing corresponding to said second editing point; and
said image processing means is controlled so as to perform the image processing in accordance with said first edit parameter on the video data of said clip to be edited at a timing of said first editing point, and is controlled so as to perform the image processing in accordance with said second edit parameter on the video data of said clip to be edited at a timing of said second editing point.

110. The editing method according to claim 109, wherein

the video data of all lower clips linked to the lower position
of the edit resultant clip searched by said search process.

117. The editing method according to claim 116, wherein

in said production process, a new edit resultant clip is produced instead of said searched disable edit resultant clip, from said newly produced video data, said link information, said editing point data, and said image processing data relating to said searched edit resultant clip registered in said clip database.

118. The editing method according to claim 117, wherein

said edit resultant clip newly produced is registered in said clip database with the clip identification code or clip name representing said searched disable edit resultant clip, and

said searched disable edit resultant clip is registered in said clip database with the clip identification code or clip name which is different from the clip identification code or clip name representing said researched disable edit resultant clip.

119. The editing method according to claim 116, wherein

said search process and said production process are repeated until all clips managed with the hierarchical

structure become enable.

120. The editing method according to claim 116, wherein said search process searches the edit resultant clip which has the lower clips being all enable among said disable edit resultant clips and which is at the lowest position among said clips managed with the hierarchical structure, to be performed with the re-execution.

121. The editing method according to claim 116, wherein said production process performs the image processing on the video data of the clip to be linked lowly based on said editing point data and said image processing data corresponding to said searched disable edit resultant clip, so as to produce said new video data.

122. An editing method of editing a plurality of clips to be edited, comprising the steps of:

applying to a plurality of clips to be edited the edit processing corresponding to the processing module selected among from the plurality of processing modules to produce edit resultant clip;

storing the module identification information indicating that which of processing modules is said edit resultant clip produced by using from; and

information registered in said clip database; and

the processing module corresponding to said identified processing module is started up and the graphical user interface of the processing module corresponding to said identified processing module is displayed.

127. An editing method of editing a plurality of clips to be edited, comprising the steps of:

displaying on a display the graphical user interface corresponding to the processing module for editing the clip to be edited;

applying the edit processing corresponding to said processing module to said plurality of clips to be edited to produce the edit resultant clip;

storing the image processing data indicating the content of image processing applied to the video data of said clip to be edited by the edit processing performed by said editing means, so as to correspond to said edit resultant clip; and

displaying on a display said image processing data stored in said storing means which corresponds to said selected edit resultant clip as a part of said graphical user interface, when said edit resultant clip is selected.

128. The editing method according to claim 127, wherein said image processing data is stored by the clip database

in which the information relating to said plurality of clips is registered for each clip.

129. The editing method according to claim 128, wherein said plurality of processing modules comprise, at least, an edit module for editing said plurality of clips to be edited, a composite module for composing said plurality of clips to be edited, and a special effect module for applying the special effects to said plurality of clips to be edited.

130. The editing method according to claim 129, wherein the image processing respectively corresponding to said edit module, said composite module, and said special effect module is applied to the video data of said clip to be edited based on said image processing data registered in said clip database.

131. The editing method according to claim 130, wherein said clip database has the module identification information indicating that which of processing modules is said edit resultant clip produced from.

132. The editing method according to claim 131, wherein said graphical user interface consists of a graphical user interface for edit processing corresponding to said edit

09068866 102398

applying the edit processing specified by an edit operator to the clip to be edited which is to be edit-processed to produce the edit resultant clip; and

managing each clip with the hierarchical structure by lining said clip to be edited to said edit resultant clip as a lower clip or by linking said edit resultant clip to said clip to be edited as an upper clip.

135. An editing method of editing the supplied clip, comprising the steps of:

applying the edit processing to the supplied clip; and managing all clips used and produced by said edit processing with the hierarchical structure which is expressed by the up and low relation by lining each other, regarding said clip to be edited as a lower clip and said clip to be produced by said edit processing as an upper clip.

136. A clip management device for an editing device editing the supplied clip, comprising:

editing means for applying the edit processing to the supplied clip; and

managing means for managing with the hierarchical structure said clip to be edited and the clip produced by said edit processing by linking each other, regarding said clip to be edited in said edit processing as a lower clip and the clip

produced by said edit processing as an upper clip.

137. A clip management method for an editing device editing the supplied clip, comprising the steps of:

applying the first edit processing specified by an edit operator to the clip to be edited which is to be edit-processed, to produce the first edit resultant clip;

managing with the hierarchical structure said clip to be edited and said first edit resultant clip by linking said clip to be edited to said edit resultant clip as a lower clip or linking said edit resultant clip to said clip to be edited as an upper clip;

applying the second edit processing specified by an edit operator to said first edit resultant clip, to produce the second edit resultant clip; and

managing with the hierarchical structure said clip to be edited, said first edit resultant clip, and said second edit resultant clip, by linking said first edit resultant clip to said second edit resultant clip as a lower clip or linking said second edit resultant clip to said first edit resultant clip as an upper clip.

138. An editing system for editing the clip to be edited, comprising:

editing means for applying the edit processing specified

09068866-102398

by an edit operator to the clip to be edited to produce the edit resultant clip;

managing means for managing with the hierarchical structure all clips by linking said edit resultant clip and said clip to be edited so as to be in the up and low relation; and

control means for controlling said managing means, when the content of said edit resultant clip is modified, so as to make all clips linked to the upper position of said modified edit resultant clip disable based on the information managed by said managing means.

A

139. An editing method for editing the clip to be edited, comprising the steps of:

applying the edit processing specified by an edit operator to the clip to be edited to produce the edit resultant clip;

managing with the hierarchical structure all clips by linking said edit resultant clip and said clip to be edited so as to be in the up and low relation each other; and

when the content of said edit resultant clip is modified, making all clips linked to the upper position of said modified edit resultant clip disable.

140. A clip managing method applied for an editing device

05063865-102398

editing the clip to be edited, comprising the steps of:

applying the edit processing specified by an edit operator to the clip to be edited to produce the edit resultant clip;

managing with the hierarchical structure all clips by linking said edit resultant clip and said clip to be edited so as to be in the up and low relation each other; and

when the content of said edit resultant clip is modified, making all clips linked to the upper position of said modified edit resultant clip disable.

A

141. An editing system for editing the clip to be edited, comprising:

editing means for applying the edit processing specified by an edit operator to said clip to be edited to produce the edit resultant clip;

managing means for managing with the hierarchical structure all clips by linking said edit resultant clip and said clip to be edited so as to be in the up and low relation each other; and

control means, when the content of said edit resultant clip is modified, for controlling said editing means to newly produce said modified edit resultant clip and all edit resultant clips linked to the upper position of said modified edit resultant clip disable, based on the information relating

to the hierarchical structure managed by said managing means.

142. An editing method for editing the clip to be edited, comprising the steps of:

applying the edit processing specified by an edit operator to said clip to be edited to produce the edit resultant clip;

managing with the hierarchical structure all clips by linking said edit resultant clip and said clip to be edited so as to be in the up and low relation each other; and

newly producing said modified edit resultant clip and all edit resultant clips linked to the upper position of said modified edit resultant clip.

09068886-102398

Add A'

Add
D1/D5